

Transparent Neutral Veritas



CERTIFICATE OF CONFORMITY

Report No: 140918449101

Ref. Report No: 2014091201

***Certificate of Conformity with Technical Requirements in
API STD 607 Sixth Edition September 2010***

We hereby certify that the Fire Safe test on below valves have been conducted at the laboratory designated by manufacturer and witnessed by TNV Inspector according to requirements of API/STD 607 Sixth Edition September 2010 The Testing Result of Valves meet the Requirements of API STD 607 Sixth Edition September 2010.

M/S Microne Industries

No 117, Pattaravakkam Railway Station Road, SIDCO Industrial Estate
Ambattur, Chennai - 600 098, Tamil Nadu, India.

1. Description of Test Valve

Type of Test Valve	2" CL 150 FULL BORE BALL VALVE
Description of Test Valve+	ASTM A216 WCB
Valve Size NPS	2"
Pressure Rating (ANSI Class)	150

2. Qualified Range of Valves

Qualified Pressure Ratings (Class: Lb) (according to API 607 Table 5)	150 : 300
Qualified Sizes (NPS) (according to API 607 Table 3)	2 and below; 2 ^{1/2} ; 3;4



Director
TNV Certification Pvt Ltd.

Location: Bangladesh, Bulgaria, Egypt, India, Iran (Islamic Republic of), Kuwait, Malaysia, Nepal, Qatar, Saudi Arabia, South Africa, Taiwan, Turkey, United Arab Emirates & United States

Ph:- +91-522-2756327-328, Fax. +91-522-2759881, email:- info@isoindia.org, www.isoindia.org

* Validity of the certificate is subject to terms and condition as specified in the agreement and Client abide to comply the requirements without any fail. This Compliance certificate witness Certificate is based on the witness carried out by Authorized representative of the Company. TNV reserve the right to demand additional testing as and when required or may conduct any special audit at its discretion or on arriving of any complaint (if) at the cost of Client. In case of any failure or delay or any situation which may warrant the cancellation, suspension, withdrawal of the Certificate, it may be done by the TNV. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organizations. This certificate remains property of TNV Certification P Ltd. and must be returned on request.

Transparent Neutral Veritas



CERTIFICATE OF CONFORMITY

Report No: 140918449102

Ref. Report No: 2014091202

***Certificate of Conformity with Technical Requirements in
API STD 607 Sixth Edition September 2010***

We hereby certify that the Fire Safe test on below valves have been conducted at the laboratory designated by manufacturer and witnessed by TNV Inspector according to requirements of API/STD 607 Sixth Edition September 2010 The Testing Result of Valves meet the Requirements of API STD 607 Sixth Edition September 2010.

M/S Microne Industries

No 117, Pattaravakkam Railway Station Road, SIDCO Industrial Estate
Ambattur, Chennai - 600 098, Tamil Nadu, India.

1. Description of Test Valve	
Type of Test Valve	2" CL 600 FULL BORE BALL VALVE
Description of Test Valve+	ASTM A216 WCB
Valve Size NPS	2"
Pressure Rating (ANSI Class)	600
2. Qualified Range of Valves	
Qualified Pressure Ratings (Class: Lb) (according to API 607 Table 5)	600,800 & 900
Qualified Sizes (NPS) (according to API 607 Table 3)	2 and below; 2 ^{1/2} ; 3;4



Director
TNV Certification Pvt Ltd.

Location: Bangladesh, Bulgaria, Egypt, India, Iran (Islamic Republic of), Kuwait, Malaysia, Nepal, Qatar, Saudi Arabia, South Africa, Taiwan, Turkey, United Arab Emirates & United States

Ph:- +91-522-2756327-328, Fax. +91-522-2759881, email:- info@isoindia.org, www.isoindia.org

* Validity of the certificate is subject to terms and condition as specified in the agreement and Client abide to comply the requirements without any fail. This Compliance certificate witness Certificate is based on the witness carried out by Authorized representative of the Company. TNV reserve the right to demand additional testing as and when required or may conduct any special audit at its discretion or on arriving of any complaint (if) at the cost of Client. In case of any failure or delay or any situation which may warrant the cancellation, suspension, withdrawal of the Certificate, it may be done by the TNV. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organizations. This certificate remains property of TNV Certification P Ltd. and reusable returned on request.

Transparent Neutral Veritas



CERTIFICATE OF CONFORMITY

Report No: 140918449109

Ref. Report No: 2014091209

***Certificate of Conformity with Technical Requirements in
API STD 607 Sixth Edition September 2010***

We hereby certify that the Fire Safe test on below valves have been conducted at the laboratory designated by manufacturer and witnessed by TNV Inspector according to requirements of API/STD 607 Sixth Edition September 2010 The Testing Result of Valves meet the Requirements of API STD 607 Sixth Edition September 2010.

M/S Microne Industries

No 117, Pattaravakkam Railway Station Road, SIDCO Industrial Estate
Ambattur, Chennai - 600 098, Tamil Nadu, India.

1. Description of Test Valve	
Type of Test Valve	8" CL 1500 FULL BORE BALL VALVE
Description of Test Valve+	ASTM A216 WCB
Valve Size NPS	8"
Pressure Rating (ANSI Class)	1500
2. Qualified Range of Valves	
Qualified Pressure Ratings (Class: Lb) (according to API 607 Table 5)	1500, 2500
Qualified Sizes (NPS) (according to API 607 Table 3)	8 and Larger



Director
TNV Certification Pvt Ltd.

Location: Bangladesh, Bulgaria, Egypt, India, Iran (Islamic Republic of), Kuwait, Malaysia,
Nepal, Qatar, Saudi Arabia, South Africa, Taiwan, Turkey, United Arab Emirates & United States

Ph:- +91-522-2756327-328, Fax. +91-522-2759881, email:- info@isoindia.org, www.isoindia.org

* Validity of the certificate is subject to terms and condition as specified in the agreement and Client abide to comply the requirements without any fail. This Compliance certificate witness Certificate is based on the witness carried out by Authorized representative of the Company. TNV reserve the right to demand additional testing as and when required or may conduct any special audit at its discretion or on arising of any complaint (if) at the cost of Client. In case of any failure or delay or any situation which may warrant the cancellation, suspension, withdrawal of the Certificate, it may be done by the TNV. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organizations. This certificate remains property of TNV Certification P Ltd. and must be returned on request.

Transparent Neutral Veritas



CERTIFICATE OF CONFORMITY

Report No: 140918449108

Ref. Report No: 2014091208

***Certificate of Conformity with Technical Requirements in
API STD 607 Sixth Edition September 2010***

We hereby certify that the Fire Safe test on below valves have been conducted at the laboratory designated by manufacturer and witnessed by TNV Inspector according to requirements of API/STD 607 Sixth Edition September 2010 The Testing Result of Valves meet the Requirements of API STD 607 Sixth Edition September 2010.

M/S Microne Industries

No 117, Pattaravakkam Railway Station Road, SIDCO Industrial Estate
Ambattur, Chennai - 600 098, Tamil Nadu, India.

1. Description of Test Valve	
Type of Test Valve	8" CL 600 FULL BORE BALL VALVE
Description of Test Valve+	ASTM A216 WCB
Valve Size NPS	8"
Pressure Rating (ANSI Class)	600
2. Qualified Range of Valves	
Qualified Pressure Ratings (Class: Lb) (according to API 607 Table 5)	600, 900
Qualified Sizes (NPS) (according to API 607 Table 3)	8" and Larger



Director
TNV Certification Pvt Ltd.

Location: Bangladesh, Bulgaria, Egypt, India, Iran (Islamic Republic of), Kuwait, Malaysia, Nepal, Qatar, Saudi Arabia, South Africa, Taiwan, Turkey, United Arab Emirates & United States

Ph:- +91-522-2756327-328, Fax. +91-522-2759881, email:- info@isoindia.org, www.isoindia.org

* Validity of the certificate is subject to terms and condition as specified in the agreement and Client abide to comply the requirements without any fail. This Compliance certificate is based on the witness carried out by Authorized representative of the Company. TNV reserve the right to demand additional testing as and when required or may conduct any special audit at its discretion or on arriving of any complaint (if) at the cost of Client. In case of any failure or delay or any situation which may warrant the cancellation, suspension, withdrawal of the Certificate, it may be done by the TNV. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organizations. This certificate remains property of TNV Certification P Ltd. and must be returned on request.

Transparent Neutral Veritas



CERTIFICATE OF CONFORMITY

Report No: 140918449107

Ref. Report No: 2014091207

***Certificate of Conformity with Technical Requirements in
API STD 607 Sixth Edition September 2010***

We hereby certify that the Fire Safe test on below valves have been conducted at the laboratory designated by manufacturer and witnessed by TNV Inspector according to requirements of API/STD 607 Sixth Edition September 2010 The Testing Result of Valves meet the Requirements of API STD 607 Sixth Edition September 2010.

M/S Microne Industries

No 117, Pattaravakkam Railway Station Road, SIDCO Industrial Estate
Ambattur, Chennai - 600 098, Tamil Nadu, India.

1. Description of Test Valve	
Type of Test Valve	8" CL 150 FULL BORE BALL VALVE
Description of Test Valve+	ASTM A216 WCB
Valve Size NPS	8"
Pressure Rating (ANSI Class)	150
2. Qualified Range of Valves	
Qualified Pressure Ratings (Class: Lb) (according to API 607 Table 5	150 : 300
Qualified Sizes (NPS) (according to API 607 Table 3	8 and Larger



Director
TNV Certification Pvt Ltd.

Location: Bangladesh, Bulgaria, Egypt, India, Iran (Islamic Republic of), Kuwait, Malaysia, Nepal, Qatar, Saudi Arabia, South Africa, Taiwan, Turkey, United Arab Emirates & United States

Ph:- +91-522-2756327-328, Fax. +91-522-2759881, email:- info@isoindia.org, www.isoindia.org

* Validity of the certificate is subject to terms and condition as specified in the agreement and Client abide to comply the requirements without any fail. This Compliance certificate is based on the witness carried out by Authorized representative of the Company. TNV reserve the right to demand additional testing as and when required or may conduct any special audit at its discretion or on arriving of any complaint (if) at the cost of Client. In case of any failure or delay or any situation which may warrant the cancellation, suspension, withdrawal of the Certificate, it may be done by the TNV. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organizations. This certificate remains property of TNV Certification P Ltd. and must be returned on request.

Transparent Neutral Veritas



CERTIFICATE OF CONFORMITY

Report No: 140918449106

Ref. Report No: 2014091206

***Certificate of Conformity with Technical Requirements in
API STD 607 Sixth Edition September 2010***

We hereby certify that the Fire Safe test on below valves have been conducted at the laboratory designated by manufacturer and witnessed by TNV Inspector according to requirements of API/STD 607 Sixth Edition September 2010 The Testing Result of Valves meet the Requirements of API STD 607 Sixth Edition September 2010.

M/S Microne Industries

No 117, Pattaravakkam Railway Station Road, SIDCO Industrial Estate
Ambattur, Chennai - 600 098, Tamil Nadu, India.

1. Description of Test Valve	
Type of Test Valve	4" CL 1500 FULL BORE BALL VALVE
Description of Test Valve+	ASTM A216 WCB
Valve Size NPS	4"
Pressure Rating (ANSI Class)	1500
2. Qualified Range of Valves	
Qualified Pressure Ratings (Class: Lb) (according to API 607 Table 5)	1500, 2500
Qualified Sizes (NPS) (according to API 607 Table 3)	4,5,6,8



Director
TNV Certification Pvt Ltd.

Location: Bangladesh, Bulgaria, Egypt, India, Iran (Islamic Republic of), Kuwait, Malaysia,
Nepal, Qatar, Saudi Arabia, South Africa, Taiwan, Turkey, United Arab Emirates & United States

Ph:- +91-522-2756327-328, Fax. +91-522-2759881, email:- info@isoindia.org, www.isoindia.org

* Validity of the certificate is subject to terms and condition as specified in the agreement and Client abide to comply the requirements without any fail. This Compliance certificate witness Certificate is based on the witness carried out by Authorized representative of the Company. TNV reserve the right to demand additional testing as and when required or may conduct any special audit at its discretion or on arriving of any complaint (s) at the cost of Client. In case of any failure or delay or any situation which may warrant the cancellation, suspension, withdrawal of the Certificate, it may be done by the TNV. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organizations. This certificate remains property of TNV Certification P Ltd. and reusable returned on request.

Transparent Neutral Veritas



CERTIFICATE OF CONFORMITY

Report No: 140918449105

Ref. Report No: 2014091205

***Certificate of Conformity with Technical Requirements in
API STD 607 Sixth Edition September 2010***

We hereby certify that the Fire Safe test on below valves have been conducted at the laboratory designated by manufacturer and witnessed by TNV Inspector according to requirements of API/STD 607 Sixth Edition September 2010 The Testing Result of Valves meet the Requirements of API STD 607 Sixth Edition September 2010.

M/S Microne Industries

No 117, Pattaravakkam Railway Station Road, SIDCO Industrial Estate
Ambattur, Chennai - 600 098, Tamil Nadu, India.

Type of Test Valve	4" CL 600 FULL BORE BALL VALVE
Description of Test Valve+	ASTM A216 WCB
Valve Size NPS	4"
Pressure Rating (ANSI Class)	600
2. Qualified Range of Valves	
Qualified Pressure Ratings (Class: lb) (according to API 607 Table 5)	600, 900
Qualified Sizes (NPS) (according to API 607 Table 3)	4,5,6,8



Director

TNV Certification Pvt Ltd.

Location: Bangladesh, Bulgaria, Egypt, India, Iran (Islamic Republic of), Kuwait, Malaysia, Nepal, Qatar, Saudi Arabia, South Africa, Taiwan, Turkey, United Arab Emirates & United States

Ph:- +91-522-2756327-328, Fax. +91-522-2759881, email:- info@isoindia.org, www.isoindia.org

* Validity of the certificate is subject to terms and condition as specified in the agreement and Client abide to comply the requirements without any fail. This Compliance certificate witness Certificate is based on the witness carried out by Authorized representative of the Company. TNV reserve the right to demand additional testing as and when required or may conduct any special audit at its discretion or on arising of any complaint (s) at the cost of Client. In case of any failure or delay or any any situation which may warrant the cancellation, suspension, withdrawal of the Certificate, it may be done by the TNV. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organizations. This certificate remains property of TNV Certification P Ltd. and must be returned on request.

Transparent Neutral Veritas



CERTIFICATE OF CONFORMITY

Report No: 140918449104

Ref. Report No: 2014091204

***Certificate of Conformity with Technical Requirements in
API STD 607 Sixth Edition September 2010***

We hereby certify that the Fire Safe test on below valves have been conducted at the laboratory designated by manufacturer and witnessed by TNV Inspector according to requirements of API/STD 607 Sixth Edition September 2010 The Testing Result of Valves meet the Requirements of API STD 607 Sixth Edition September 2010.

M/S Microne Industries

No 117, Pattaravakkam Railway Station Road, SIDCO Industrial Estate
Ambattur, Chennai - 600 098, Tamil Nadu, India.

1. Description of Test Valve	
Type of Test Valve	4" CL 150 FULL BORE BALL VALVE
Description of Test Valve+	ASTM A216 WCB
Valve Size NPS	4"
Pressure Rating (ANSI Class)	150
2. Qualified Range of Valves	
Qualified Pressure Ratings (Class: lb) (according to API 607 Table 5)	150 : 300
Qualified Sizes (NPS) (according to API 607 Table 3)	4,5,6,8



Director

TNV Certification Pvt.Ltd.

Location: Bangladesh, Bulgaria, Egypt, India, Iran (Islamic Republic of), Kuwait, Malaysia, Nepal, Qatar, Saudi Arabia, South Africa, Taiwan, Turkey, United Arab Emirates & United States

Ph:- +91-522-2756327-328, Fax. +91-522-2759881, email:- info@isoindia.org, www.isoindia.org

* Validity of the certificate is subject to terms and condition as specified in the agreement and Client abide to comply the requirements without any fail. This Compliance certificate is based on the witness carried out by Authorized representative of the Company. TNV reserve the right to demand additional testing as and when required or may conduct any special audit at its discretion or on arriving of any complaint (if) at the cost of Client. In case of any failure or delay or any situation which may warrant the cancellation, suspension, withdrawal of the Certificate, it may be done by the TNV. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organizations. This certificate remains property of TNV Certification P.Ltd. and reusable returned on request.

Transparent Neutral Veritas



CERTIFICATE OF CONFORMITY

Report No: 140918449103

Ref. Report No: 2014091203

***Certificate of Conformity with Technical Requirements in
API STD 607 Sixth Edition September 2010***

We hereby certify that the Fire Safe test on below valves have been conducted at the laboratory designated by manufacturer and witnessed by TNV Inspector according to requirements of API/STD 607 Sixth Edition September 2010 The Testing Result of Valves meet the Requirements of API STD 607 Sixth Edition September 2010.

M/S Microne Industries

No 117, Pattaravakkam Railway Station Road, SIDCO Industrial Estate
Ambattur, Chennai - 600 098, Tamil Nadu, India.

1. Description of Test Valve	
Type of Test Valve	2" CL 1500 FULL BORE BALL VALVE
Description of Test Valve+	ASTM A216 WCB
Valve Size NPS	2"
Pressure Rating (ANSI Class)	1500
2. Qualified Range of Valves	
Qualified Pressure Ratings (Class: lb) (according to API 607 Table 5)	1500, 2500
Qualified Sizes (NPS) (according to API 607 Table 3)	2 and below; 2 ^{1/2} ; 3;4



Director

TNV Certification Pvt Ltd.

Location: Bangladesh, Bulgaria, Egypt, India, Iran (Islamic Republic of), Kuwait, Malaysia, Nepal, Qatar, Saudi Arabia, South Africa, Taiwan, Turkey, United Arab Emirates & United States

Ph:- +91-522-2756327-328, Fax. +91-522-2759881, email:- info@isoindia.org, www.isoindia.org

* Validity of the certificate is subject to terms and condition as specified in the agreement and Client abide to comply the requirements without any fail. This Compliance certificate witness Certificate is based on the witness carried out by Authorized representative of the Company. TNV reserve the right to demand additional testing as and when required or may conduct any special audit at its discretion or on arising of any complaint (if) at the cost of Client. In case of any failure or delay or any situation which may warrant the cancellation, suspension, withdrawal of the Certificate, it may be done by the TNV. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organizations. This certificate remains property of TNV Certification P Ltd. and must be returned on request.